

- GENERAL NOTES:**
1. ALL WORK SHALL COMPLY WITH THE MASSACHUSETTS STATE BUILDING CODE AND LOCAL CODES AND ORDINANCES.
 2. THE CONTRACTOR SHALL APPLY FOR ALL PERMITS, AND SHALL PAY ALL PERMIT RELATED FEES.
 3. THE DRAWINGS SHALL BE USED IN CONJUNCTION WITH THE WRITTEN SPECIFICATIONS.
 4. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AND MATERIAL SUBMITTALS FOR REVIEW AS REQUIRED IN THE SPECIFICATIONS.
 5. THE CONTRACTOR SHALL VERIFY QUANTITIES SHOWN ON THE DRAWINGS PRIOR TO ORDERING MATERIALS.
 6. THESE DOCUMENTS DO NOT INCLUDE THE NECESSARY COMPONENTS FOR CONSTRUCTION SAFETY, SAFETY, CARE OF ADJACENT PROPERTIES DURING CONSTRUCTION, AND COMPLIANCE WITH STATE AND FEDERAL REGULATIONS REGARDING SAFETY, SAFETY SHALL BE THE CONTRACTOR'S RESPONSIBILITY.
 7. THE CONTRACTOR SHALL MAINTAIN THE JOB CLEAR OF TRASH AND DEBRIS.
 8. THE CONTRACTOR IS RESPONSIBLE FOR DUST PROTECTION AND WEATHER PROTECTION OF THE BUILDING AND MATERIALS DURING CONSTRUCTION.

DEMOLITION NOTES:

1. SEE SPECIFICATIONS FOR DISPOSAL OF STRIPPED ROOFING MATERIALS.
2. CONTACT OWNER'S REPRESENTATIVE ONCE DECK IS EXPOSED FOR EVALUATION.
4. PROVIDE TEMPORARY WATER-TIGHT ROOFING OVER AREAS WHERE ROOFING HAS BEEN REMOVED.
5. ALL REMOVED MATERIAL SHALL BE DISPOSED OF PER LOCAL, STATE, AND FEDERAL REGULATIONS.

ASPHALT SHINGLE RE-COATING NOTES:

1. SEE SPECIFICATIONS.
2. PREPARE ROOF AS INDICATED IN THE SPECIFICATIONS.
3. ONCE DECK IS EXPOSED, NOTIFY OWNER'S REPRESENTATIVE FOR INSPECTION PRIOR TO INSTALLING FELT UNDERLAMENT.
4. INSTALL UNDERLAMENT PER SPECIFICATIONS. USE FELT OVER DECK. TYPICAL. SELF ADHERING UNDERLAMENT AT EAVES AND RAKES AND FLASHINGS IN INSIDE EXTEND WALL LINE. SELF ADHERING UNDERLAMENT AT VALLEYS EXTENDING AT LEAST 18 IN BOTH SIDES.
5. INSTALL SHINGLES ACCORDING TO MANUFACTURER'S INSTALLATION REQUIREMENTS. INSTALL ONLY UNDER MANUFACTURER'S APPROVED ENVIRONMENTAL CONDITIONS REGARDING TEMPERATURE, AND HUMIDITY.
6. EXISTING COPPER FLASHING IS TO REMAIN CLEAN AND PREPARE PER MANUFACTURER'S REQUIREMENTS.
7. ROOF CONTRACTOR IS TO REPAIR/REPLACE FLASHING WHERE INDICATED AND APPLY SEALANT AS REQUIRED TO ASSURE A LEAK-PROOF ROOF.
8. SEAL AT ALL ROOF PENETRATIONS.

POLYURETHANE ELASTOMERIC ROOF RE-COATING NOTES:

1. SEE SPECIFICATIONS.
2. PREPARE ROOF AS INDICATED IN THE SPECIFICATIONS.
3. INSTALL POLYURETHANE COATING ACCORDING TO MANUFACTURER'S INSTALLATION REQUIREMENTS. INSTALL COATING ONLY UNDER MANUFACTURER'S APPROVED ENVIRONMENTAL CONDITIONS REGARDING TEMPERATURE, AND HUMIDITY.
4. EXISTING COPPER FLASHING IS TO REMAIN CLEAN AND PREPARE PER MANUFACTURER'S REQUIREMENTS.
5. ROOF CONTRACTOR IS TO REPAIR FLASHING AND APPLY SEALANT AS REQUIRED TO ASSURE A LEAK-PROOF ROOF.
6. RE-COAT PRODUCT MANUFACTURER SHALL INSPECT AND CERTIFY THE ROOF PER THE SPECIFICATIONS.

STANDING SEAM RE-ROOF NOTES:

1. SEE SPECIFICATIONS.
2. PREPARE ROOF AS INDICATED IN THE SPECIFICATIONS.
3. INSTALL METAL STANDING SEAM ROOF ACCORDING TO MANUFACTURER'S INSTALLATION REQUIREMENTS.
4. EXISTING COPPER FLASHING IS TO REMAIN CLEAN AND PREPARE PER MANUFACTURER'S REQUIREMENTS.
5. ROOF CONTRACTOR IS TO REPAIR FLASHING AND APPLY SEALANT AS REQUIRED TO ASSURE A LEAK-PROOF ROOF.

FLAT METAL RE-ROOF NOTES:

1. SEE SPECIFICATIONS.
2. PREPARE ROOF AS INDICATED IN THE SPECIFICATIONS.
3. INSTALL METAL SHEET ROOF ACCORDING TO MANUFACTURER'S INSTALLATION REQUIREMENTS.
4. PROVIDE DRIP EDGE COMPATIBLE WITH SHEET ROOFING.
5. ROOF CONTRACTOR IS TO REPAIR FLASHING AND APPLY SEALANT AS REQUIRED TO ASSURE A LEAK-PROOF ROOF.

RE- ROOFING PROJECT

NORTH PARISH SCHOOL


PLACE TERRACE

GREENFIELD, MA

01301

DESIGN CRITERIA: (PER 780 CMR - 8TH EDITION)
 NORTH PARISH SCHOOL FLOOR AREA 13,140 SF
BUILDING CLASSIFICATION:
 USE GROUP: E, EDUCATION
 CONSTRUCTION TYPE: IIB
ROOF DESIGN CRITERIA:
 ROOF COVERING CLASSIFICATION: B, MODERATE EXPOSURE
 WIND LOAD DATA:
 V = 100 MPH IMPORTANCE FACTOR 1.15
 WIND EXPOSURE B

ABBREVIATIONS:
 EL = ELEVATION
 EXIST = EXISTING
 DPR = OPPOSITE
 SIM = SIMILAR
 SPECS = SPECIFICATIONS
 TYP = TYPICAL
 UNLESS OTHERWISE NOTED



PROJECT LOCUS



Structural Support & Design Services
 236 S. Shikshine Rd.
 Conway, MA 01341
 413-522-7771

REV. DATE DESC. BY
 0 01-30-15 FOR BID MR

DESIGN BY:
 MICHAEL RAINVILLE, P.E.
 PROJECT:

RE-ROOFING PROJECT

NORTH PARISH SCHOOL
 PLACE TERRACE
 GREENFIELD, MA

PREPARED FOR:
 TOWN OF GREENFIELD
 14 COURT SQUARE
 GREENFIELD, MA

DRAWING TITLE:

TITLE PAGE
 NOTES
 LOCUS

RF1